

Parks and Protected Areas Research in Ontario

1999

Proceedings of the
Parks Research Forum of Ontario (PRFO)
Annual General Meeting
April 22 and 23, 1999, Guelph, Ontario

Including Special Theme Session on:
Challenges to Parks and Protected Areas
in Southern Ontario

Edited by:

Nancy Pollock-Ellwand, Kenneth Van Osch and J. Gordon Nelson
with
Thomas Beechey, William Stephenson and John Marsh

Published by:

Parks Research Forum of Ontario (PRFO)
c/o Heritage Resources Centre
University of Waterloo
Waterloo, Ontario
N2L3G1 Canada
519 888-4567 ext. 2072
519 746-2031 (fax)
hrc@fes.uwaterloo.ca

© Parks Research Forum of Ontario (PRFO) 2000

Canadian Cataloguing in Publication Data

Parks Research Forum of Ontario. Meeting (1999 : Guelph, Ont.)

Parks and protected areas research in Ontario, 1999 : proceedings of the Parks Research Forum of Ontario (PRFO) annual general meeting, April 22 and 23, 1999, Guelph, Ontario

"Including special theme session on: Challenges to Parks and protected areas in Southern Ontario."

ISBN 0-9684655-1-X

1. Parks — Research - Ontario - Congresses. 2. Natural areas — Research — Ontario — Congresses. I. Pollock-Ellwand, N. (Nancy). II. Van Osch, Kenneth. III. Nelson, J. G. (James Gordon), 1932- . IV. Title.

QH77.C3P374 1999

333.78'3 '0720713

C00-930842-3

Restoration of Red Cedar Savanna Plant Communities in Point Pelee National Park

Nancy Falkenberg,¹ Dawn R. Bazely¹ and Gary Mouland²

¹Department of Biology, York University, Toronto, Ontario M3J 1P3

²Point Pelee National Park, R.R. #1, Leamington, Ontario.

*Red cedar savanna communities occur on dry sandy soils. They are early successional plant communities which contain some woody species, but mainly, red cedar (*Juniperus virginiana*), and a mix of prairie forbs, many of which are listed as rare in Ontario, while some are listed nationally. Red cedar savanna is maintained by disturbance, in particular fire. In Point Pelee National Park, there is concern that in the absence of fire, that the Red cedar savanna communities will disappear in the next 25 to 50 years, due to unchecked forest succession. In 1996 and 1997 we carried out a study to restore conditions which would enable the regeneration and maintenance of red cedar savanna in the park. This involved applying and evaluating fire as a management tool, as well as examining the effectiveness of disking as a soil disturbance that was aimed at stimulating germination of any remaining seed bank of the red cedar savanna plant community. Along with a presentation of our results, we will address the question of why we should attempt to preserve such disturbance-dependent plant communities, when this means that extremely labour-intensive activities must be undertaken to halt or reverse the tide of succession.*