

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 – Definitions.

- a. **Adapted Material** means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. **Adapter's License** means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. **Copyright and Similar Rights** means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. **Effective Technological Measures** means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. **Exceptions and Limitations** means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. **Licensed Material** means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. **Licensed Rights** means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. **Licensor** means the individual(s) or entity(ies) granting rights under this Public License.
- i. **Share** means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. **Sui Generis Database Rights** means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. **You** means the individual or entity exercising the Licensed Rights under this Public License. **Your** has a corresponding meaning.

Section 2 – Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:
 - A. reproduce and Share the Licensed Material, in whole or in part; and
 - B. produce, reproduce, and Share Adapted Material.
2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.
3. Term. The term of this Public License is specified in Section 6(a).
4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)(4) never produces Adapted Material.
5. Downstream recipients.
 - A. Offer from the Licensor – Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.
 - B. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.
6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.
2. Patent and trademark rights are not licensed under this Public License.
3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 – License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:
 - A. retain the following if it is supplied by the Licensor with the Licensed Material:
 - i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);
 - ii. a copyright notice;
 - iii. a notice that refers to this Public License;
 - iv. a notice that refers to the disclaimer of warranties;
 - v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;
 - B. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and
 - C. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.
2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.
3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 – Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 – Disclaimer of Warranties and Limitation of Liability.

- a. **Unless otherwise separately undertaken by the Licensor, to the extent possible, the Licensor offers the Licensed Material as-is and as-available, and makes no representations or warranties of any kind concerning the Licensed Material, whether express, implied, statutory, or other. This includes, without limitation, warranties of title, merchantability, fitness for a particular purpose, non-infringement, absence of latent or**

other defects, accuracy, or the presence or absence of errors, whether or not known or discoverable. Where disclaimers of warranties are not allowed in full or in part, this disclaimer may not apply to You.

- b. To the extent possible, in no event will the Licensor be liable to You on any legal theory (including, without limitation, negligence) or otherwise for any direct, special, indirect, incidental, consequential, punitive, exemplary, or other losses, costs, expenses, or damages arising out of this Public License or use of the Licensed Material, even if the Licensor has been advised of the possibility of such losses, costs, expenses, or damages. Where a limitation of liability is not allowed in full or in part, this limitation may not apply to You.**
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 – Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
 - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
 - 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 – Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 – Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.

- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

Report

Open Access

Eating Disorders

Enza Gucciardi*¹, Nalan Celasun², Farah Ahmad³ and Donna E Stewart⁴

Address: ¹University Health Network Women's Health Program, University of Toronto, 657 University Avenue, Toronto, Canada, ²University Health Network Women's Health Program, University of Toronto, 657 University Avenue, Toronto, Canada, ³University Health Network Women's Health Program, University of Toronto, 657 University Avenue, Toronto, Canada and ⁴University Health Network Women's Health Program, University of Toronto, 657 University Avenue, Toronto, Canada

Email: Enza Gucciardi* - Enza.Gucciardi@uhn.on.ca; Nalan Celasun - Nalan.celasun@uhn.on.ca; Farah Ahmad - farah.ahmad@uhn.on.ca; Donna E Stewart - donna.stewart@uhn.on.ca

* Corresponding author

from Women's Health Surveillance Report

Published: 25 August 2004

BMC Women's Health 2004, 4(Suppl 1):S21 doi:10.1186/1472-6874-4-S1-S21

This article is available from: <http://www.biomedcentral.com/1472-6874/4/S1/S21>

Abstract

Health Issue: Eating disorders are an increasing public health problem among young women. Anorexia and bulimia may give rise to serious physical conditions such as hypothermia, hypotension, electrolyte imbalance, endocrine disorders, and kidney failure.

Key Issues: Eating disorders are primarily a problem among women. In Ontario in 1995, over 90% of reported hospitalized cases of anorexia and bulimia were women. In addition to eating disorders, preoccupation with weight, body image and self-concept disturbances, are more prevalent among women than men.

Women with eating disorders are also at risk for long-term psychological and social problems, including depression, anxiety, substance abuse and suicide. For instance, in 2000, the prevalence of depression among women who were hospitalized with a diagnosis of anorexia (11.5%) or bulimia (15.4 %) was more than twice the rate of depression (5.7 %) among the general population of Canadian women. The highest incidence of depression was found in women aged 25 to 39 years for both anorexia and bulimia.

Data Gaps and Recommendations: Hospitalization data are the most recent and accessible information available. However, this data captures only the more severe cases. It does not include the individuals with eating disorders who may visit clinics or family doctors, or use hospital outpatient services or no services at all. Currently, there is no process for collecting this information systematically across Canada; consequently, the number of cases obtained from hospitalization data is underestimated. Other limitations noted during the literature review include the overuse of clinical samples, lack of longitudinal data, appropriate comparison groups, large samples, and ethnic group analysis.

Background

Eating disorders are an increasing public health problem among young women[1]: they may give rise to serious physical problems such as hypothermia, hypotension, electrolyte imbalance, endocrine disorders and kidney

failure. Women with eating disorders are also at risk of long-term psychological and social problems, including depression, anxiety, substance abuse and suicide. The costs in terms of quality of life, loss of productivity, serious medical problems and mortality are high. [2]

Clinical eating disorders include anorexia nervosa and bulimia nervosa. [3] Anorexia is characterized by a severely calorie-restricted diet, resulting in a body weight that is at least 85% below that expected for age and height. [3] Bulimia is identified by frequent fluctuations in weight and recurrent episodes of compulsive bingeing followed by self-induced vomiting, purging, fasting, laxative use and/or excessive exercise in attempts to avoid weight gain.[3] Eating disorders not otherwise specified include behaviours such as chronic dieting, purging and binge-eating, which do not meet the full criteria for a specific eating disorder,[3] they are two to five times as common as the clinical eating disorders.

Eating disorders are, by and large, a problem among women. From the data collected in the Ontario Health Survey, Mental Health Supplement, the lifetime prevalence of bulimia (according to the criteria of the Diagnostic and Statistical Manual, 3rd revision [DSM-III-R]) among women aged 15 to 65 was estimated as 1.1% in 1990.[4] In 1995, 95% of reported hospitalized cases of anorexia and more than 90% of hospitalized cases of bulimia in Ontario were women.[5]

In addition to eating disorders, preoccupation with weight and body image, and self-concept disturbances, are more prevalent among women than men.[4,6-9] Personal, behavioural and socio-environmental factors, such as negative body image, low self-esteem, fear of becoming fat, chronic dieting and social pressures to be thin, are identified risk factors.[1,6,10-13]

Body Image

Body image concerns and preoccupation with body weight and shape increase as girls become older and more aware of the idealized societal preference for a thin body shape.[14] The images of women in the media and popular culture place pressure on vulnerable young girls and women to live up to these expectations, regardless of their natural body shape.[8,9] In British Columbia, it was found that by age 18, 80% of girls at all weights reported that they would like to weigh less.[15,16] A school-based population study involving 1,739 adolescent women aged 12 to 18 years in Toronto, Hamilton and Ottawa found that current dieting to lose weight was reported by 23% of participants, binge-eating by 15%, self-induced vomiting by 8.2% and the use of diet pills by 2.4%.[17]

Body shape dissatisfaction and preoccupation with weight are not limited to adolescents but also occur in children. A recent Canadian school-based study concluded that 34% of prepubescent girls, 36% of early pubescent girls and 76% of post-pubescent girls were dissatisfied with their body shape.[11] In a survey of eating and smoking behaviours among boys and girls in grades 4 to 8 in south-

western Ontario and Charlottetown, more than 25% from each grade reported not eating breakfast every day, and there was a sharp increase among girls beginning in grade 7.[18] Unhealthy eating patterns in childhood can adversely affect health, contribute to chronic disease in later life, and often persist into adolescence and adulthood, since change is difficult once eating patterns are established.[18]

Morbidity

The starvation associated with anorexia and the chronic vomiting frequently associated with bulimia can cause serious medical problems, such as hypothermia, hypotension, anemia, osteoporosis, endocrine abnormalities, dehydration, kidney stones, metabolic alkalosis and dental caries.[1] Girls and women with eating disorders are also at increased risk of menstrual irregularities such as amenorrhea, infertility, [19,20] miscarriages and fetal complications such as prematurity, low birth weight, malformations and low Apgar scores.[1,20-23]

Mothers who have or have had an eating disorder may also create abnormal behavioural patterns when feeding their children, such as irregular feeding schedules, detached non-interactive mealtimes, and use of food for non-nutritive purposes, which may lead to second-generation eating problems. [24-27]

Psychological Morbidity

In addition to depression, anxiety and obsessive-compulsive disorders, eating disorders are also associated with diminished libido, altered sleeping patterns, irritability and suicide attempts.[3,28,29] Ontario women with bulimia have higher levels of anxiety, depression and alcohol abuse than those without bulimia.[3,4,29,30] Smoking and substance abuse are much more prominent among teenaged girls with eating disorders than among those with healthy eating habits. [3,17,28] In a recent analysis of the 1997 Ontario Student Drug Use Survey, adolescent females who perceived themselves as overweight were almost 50% more likely to smoke than those who considered themselves of average weight or too thin, whereas weight perceptions were not associated with smoking among males.[31] Several studies have suggested an association between a traumatic experience (sexual or physical abuse) and later self-injury. A recent study found that among patients with eating disorders there is a more than 30% lifetime risk of self-injurious behaviour.[32]

Mortality

The rate of death from anorexia is higher than from bulimia because of the complications of starvation and electrolyte imbalances, or suicide.[33,34] A recent review reported a mortality rate of 0.6% for anorexia as compared with 0.3% for bulimia.[35] A longitudinal U.S.

study (21-year follow-up) of 84 women with anorexia reported that 14 women (16.7%) had died, and 12 of the 14 had died of causes directly related to anorexia; the observed death rate was 9.8 times greater than expected.[6]

Socio-Economic Status

Although previous studies in Canada and the United States have demonstrated differences in education and socio-economic status (SES) in the prevalence of obesity, [36-38] the relation between eating disorders and SES is still unclear.[17,39] Jones et al[17] observed that SES was not significantly associated with disturbed eating behaviours in a school-based Ontario population (n = 530), findings that are consistent with those of previous studies and may reflect the pervasive influence of the media on all SES groups.[39]

Ethnic Subgroups

Cultural beliefs and attitudes are identified as significant contributing factors in the development of eating disorders.[40] Canadian research on eating disorders and ethnic background, however, is extremely limited.

A few studies propose that cultural beliefs may actually protect ethnic groups against eating disorders, but their effect may be eroded as adolescents face pressures of acculturation.[41] A recent study of Mexican-American women across generations reported that second-generation women displayed the most disordered eating patterns and the highest degree of acculturation to mainstream U.S. culture.[42] Experiences of cultural change (such as those of immigrants, for example) may also increase vulnerability to eating disorders.[43,44]

This Study

This study presents data from the NPHS and national databases to investigate the burden of eating disorders in Canada and to explore the differences in attitude to weight between men and women.

Methods

NPHS

Within the NPHS, 1996–1997 (see Appendix A for details about the methods of data collection for the NPHS), the population selected for this analysis consisted of women and men aged 20 to 64, excluding pregnant women and people less than 3 feet (0.9 metres) or greater than 6 feet 11 inches (2.1 metres) in height. All data were weighted to represent the total population at the date of each survey.

Respondents who perceived themselves to be either underweight or overweight were asked to state their desired weight. The responses were analyzed according to four categories of body mass index (BMI) – underweight

(BMI < 20), acceptable weight (BMI 20–25), some excess weight (BMI 25–27) and overweight (BMI > 27).

CIHI

From the CIHI database, any separations from hospital with an ICD-9 code of 307.1 for anorexia and 307.5 for bulimia and other unspecified disorders of eating from 1994 to 1999 were extracted. Crude hospitalization rates, age-specific rates, and age-standardized hospitalization rates per 100,000 separations across provinces and territories were examined. Furthermore, age-specific rates for the comorbidity of depressive disorder (ICD-9 code of 311) among those with a hospital separation for an eating disorder were also examined for the year 2000.

Results

Prevalence

The prevalence of eating disorders is difficult to ascertain, since many people may not even be aware that they have an eating disorder, are reluctant to seek medical care or have not been hospitalized. Although epidemiologic research can approximate the prevalence of eating disorders within a population, the lack of standard methodologies and community samples results in conflicting estimates.

Hospitalization data are the most recent and accessible information available, but only the more severe cases are captured and not the individuals with eating disorders who may visit clinics or family doctors, use hospital outpatient services or use no services at all. Currently, there is no process for collecting this information systematically across Canada; consequently, the number of cases obtained from hospitalization data is an underestimate.

Inpatient crude hospital separations in Canada for any diagnosis of anorexia, bulimia and other unspecified eating disorders appear to have increased somewhat (by 4.7%), from 10.2 to 10.7 per 100,000 women between 1994 and 1999 (Figure 1). Although the rates among men were notably lower, they also increased slightly (4.8%) during the same period, from 0.6 to 0.7 per 100,000 men (Figure 1). These increases may be due to better awareness and detection of eating disorders and improved specialized inpatient treatment programs.

Across Canada, age-standardized hospital separation rates for eating disorders were highest among women in British Columbia (15.9 per 100,000 women) and New Brunswick (15.1), and lowest in Saskatchewan (8.6) and Alberta (8.6) (Figure 2).

Differences between Men and Women

The 1996–1997 NPHS data suggest that more women than men wished to weigh much less than their actual




Figure 1
Canadian Inpatient Crude Hospital Separation Rates per 100,000 for Anorexia, Bulimia and Eating Disorder Not Otherwise Specified, 1994–1999 Source: Canadian Institute for Health Information



Figure 3
Desired Mean Weight Gain or Loss by Body Mass Index Category and Sex Source: Statistics Canada, National Population Health Survey 1996–1997




Figure 2
Inpatient Crude Hospital Separation Rates per 100,000 for Anorexia, Bulimia and Eating Disorder Not Otherwise Specified by Canadian Province, 1994–1999 Source: Canadian Institute for Health Information




Figure 4
Canadian Inpatient Age-specific Prevalence for Depression Among Women with Anorexia, Bulimia and Eating Disorder Not Otherwise Specified, 2000 Source: Canadian Institute for Health Information

weight (see Figure 3). Among those who had an acceptable BMI, between 20 and 25, women wanted to lose an average of 5.3 kg, whereas men wanted to gain an average of 2.2 kg. Among those with a BMI between 25 and 27 or greater than 27, women wished to achieve a higher average weight loss than men (8.7 kg versus 5.2 kg and 17.2 kg versus 12.4 kg, respectively). Similarly, among those who were underweight, with a BMI of less than 20, the average desired weight gain was smaller for women than for men (3.6 versus 8.9 kg).

Depression

In 2000, the prevalence of depression among women who were hospitalized with a diagnosis of anorexia (11.54%) or bulimia (15.36%) was more than twice the prevalence of depression (5.7%) in the general population of women, according to the 1998–1999 NPHS.[45] (For depression rates of the general population please see the chapter on "Depression".) The highest prevalence of depression was found among women between 25 and 39 years of age for both anorexia and bulimia (see Figure 4).




Figure 5
Canadian Inpatient Age-Specific Hospital Separation Rates per 100,000 for Anorexia, Bulimia and Eating Disorders Not Otherwise Specified, 1994-1999
 Source: Canadian Institute for Health Information

Vulnerable Subgroups

Although distorted body images and eating disorders are experienced by women of all ages, the highest rates of hospitalization for eating disorders occur among young women. Age-specific hospital separation rates are highest among adolescent women aged 15 to 19 years (65.5 per 100,000 women) followed by those aged 10 to 14 years. The rates slowly decrease with age (Figure 5). Many young women do not meet the criteria for an eating disorder, but they may still show sub-clinical symptoms (disordered eating behaviours) that can harm their health. [7-9]

Discussion

Data Limitations

Several limitations were noted during the literature review: lack of longitudinal data, of appropriate comparison groups, of large samples and of ethnic group analysis. Most studies were based on clinical samples, making it difficult to generalize findings to the general population. Furthermore, many of these studies were cross-sectional and limited in their ability to make causal links.

CIHI hospital separation data provide information on the number of times each diagnosis is made and not on the number of people with the diagnosis, which leads to duplicate reporting. Comparable international rates of eating disorders were unobtainable. Nevertheless, two recommendations can be made.

Recommendations

- Data should be collected on eating disorders in Canadian women, including the prevalence and risk factors in

subgroups such as disabled, immigrant and visible minority women.

- Cross-cultural and longitudinal evaluations of attitudes and behaviours towards disordered eating should be conducted in large community samples to monitor trends, examine protective and non-protective factors, and assist in the development and planning of preventive and treatment programs.

References

1. Affenito SG, Kerstetter J: **Position of the American Dietetic Association and Dietitians of Canada: women's health and nutrition.** *J Am Diet Assoc* 1999, **99**(6):738-751.
2. Lowe B, Zipfel S, Buchholz C, Dupont Y, Reas DL, Herzog W: **Long-term outcome of anorexia nervosa in a prospective 21-year follow-up study.** *Psychol Med* 2001, **31**(5):881-890.
3. American Psychiatric Association: *Eating disorders* 4th edition. Washington, DC: American Psychiatric Association; 1994.
4. Garfinkel PE, Lin E, Goering P, Spegg C, Goldbloom DS, Kennedy S, et al.: **Bulimia nervosa in a Canadian community sample: prevalence and comparison of subgroups.** *Am J Psychiatry* 1995, **152**(7):1052-1058.
5. Gucciardi E, Stewart DE: **Eating disorders.** In: *Ontario women's health status report.* Toronto: Ontario Women's Health Council, Ministry of Health and Long-Term Care 2002:75-85.
6. Friedman SS: **Girls in the 90s: a gender-based model for eating disorder prevention.** *Patient Educ Couns* 1998, **33**(3):217-224.
7. **Federal, Provincial and Territorial Working Group on Women's Health. Working together for women's mental health.** Ottawa: Minister of Public Works and Government Services Canada 1993.
8. Hoskins ML, Dellebuur K: **Consuming identities: young women, eating disorders and the media.** Vancouver: BC Centre for Excellence for Women's Health 2000.
9. Field AE, Camargo CA Jr, Taylor CB, Berkey CS, Colditz GA: **Relation of peer and media influences to the development of purging behaviors among preadolescent and adolescent girls.** *Arch Pediatr Adolesc Med* 1999, **153**(11):1184-1189.
10. Jarry JL: **The meaning of body image for women with eating disorders.** *Can J Psychiatry* 1998, **43**(4):367-374.
11. Geist R, Heinmaa M, Katzman D, Stephens D: **A comparison of male and female adolescents referred to an eating disorder program.** *Can J Psychiatry* 1999, **44**(4):374-378.
12. Lechky O: **Epidemic of childhood obesity may cause major public health problems, doctor warns.** *Can Med Assoc J* 1994, **150**(1):78-81.
13. Steiger H, Gauvin L, Jabalpurwala S, Seguin JR, Stotland S: **Hypersensitivity to social interactions in bulimic syndromes: relationship to binge eating.** *J Consult Clin Psychol* 1999, **67**(5):765-775.
14. Thompson AM, Chad KE: **The relationship of pubertal status to body image, social physique anxiety, preoccupation with weight and nutritional status in young females.** *Can J Public Health Revue* 2000, **91**(3):207-211.
15. Rosen DS, Neumark-Sztainer D: **Review of options for primary prevention of eating disturbances among adolescents.** *J Adolesc Health* 1998, **23**(6):354-363.
16. **The McCreary Centre Society.** Adolescent health survey II: province of British Columbia. Vancouver: McCreary Centre Society 1999.
17. Jones JM, Bennett S, Olmsted MP, Lawson ML, Rodin G: **Disordered eating attitudes and behaviours in teenaged girls: a school-based study.** *Can Med Assoc J* 2001, **165**(5):547-552.
18. Evers S, Taylor J, Manske S, Midgett C: **Eating and smoking behaviours of school children in southwestern Ontario and Charlottetown, PEI.** *Can J Public Health* 2001, **92**(6):433-436.
19. Girardon N, Corcos M: **Eating disorders. Osteoporosis and infertility after anorexia nervosa.** *Presse Med* 1999, **28**(2):103-105.
20. Stewart DE, Robinson E, Goldbloom DS, Wright C: **Infertility and eating disorders.** *Am J Obstet Gynecol* 1990, **163**(4 Pt 1):1196-1199.
21. Aneshensel C, Frerichs R, Clark V: **Family roles and sex differences in depression.** *J Health Soc Behav* 1981, **22**:379-393.

22. Morrill ES, Nickols-Richardson HM: **Bulimia nervosa during pregnancy: a review.** *J Am Diet Assoc* 2001, **101**(4):448-54.
23. Stewart DE, Raskin J, Garfinkel PE, et al.: **Anorexia nervosa, bulimia, and pregnancy.** *Am J Obstet Gynecol* 1987, **157**:1194-1198.
24. Agras WS, Hammer L, McNicholas F: **A prospective study of the influence of eating-disordered mothers on their children.** *International Journal of Eating Disorders* 1999, **25**(3):253-262.
25. Vaughn E, Bulik CM: **Offspring of women with eating disorders.** *International Journal of Eating Disorders* 1999, **25**(2):123-133.
26. Whelan E, Cooper PJ: **The association between childhood feeding problems and maternal eating disorder: a community study.** *Psychol Med* 2000, **30**(169):69-77.
27. Stewart DE: **Reproductive functions in eating disorders.** *Ann Med* 1992, **24**(4):287-291.
28. Goldbloom DS, Garfinkel PE: **Anorexia nervosa and bulimia nervosa – diagnostic issues and risk factors.** In: *Handbook of eating disorders Toronto: University of Toronto* 1993.
29. Garfinkel PE, Lin E, Goering P, Speeg C, Goldbloom DS, Kennedy S, et al.: **Purging and nonpurging forms of bulimia nervosa in a community sample.** *Int J Eating Dis* 1996, **20**(3):231-238.
30. Toner BB, Garfinkel PE, Garner DM: **Affective and anxiety disorders in the long-term follow-up of anorexia nervosa.** *Int J Psychiatry Med* 1988, **18**(4):357-364.
31. Winter A, de Guia NA, Ferrence R, et al.: **The relationship between body weight perceptions, weight control behaviors and smoking status among adolescents.** *Can J Public Health* 2002, **93**(5):362-365.
32. Paul T, Schroeter K, Dahme B, Nutzinger DO: **Self-injurious behavior in women with eating disorders.** *Am J Psychiatry* 2002, **159**:408-411.
33. Crow S, Praus B, Thuras P: **Mortality from eating disorders – a 5- to 10-year record linkage study.** *Int J Eat Disord* 1999, **26**:97-101.
34. Vitiello B, Lederhendler I: **Research on eating disorders: current status and future prospects.** *Biolog Psychiatry* 2000, **47**:777-786.
35. Keel PK, Mitchell JE: **Outcome in bulimia nervosa.** *Am J Psychiatry* 1997, **154**:321.
36. Lauderdale DS, Rathouz PJ: **Body mass index in a US national sample of Asian Americans: effects of nativity, years since immigration and socioeconomic status.** *Int J Obes Related Metabol Dis* 2000, **24**(9):1188-1194.
37. Reeder BA, Chen Y, Macdonald SM, et al.: **Regional and rural-urban differences in obesity in Canada.** *Canadian Heart and Health Surveys Research Group.* *Can Med Assoc J* 1997, **157**(suppl):1510-1516.
38. Robinson TN, Chang JY, Haydel KF, et al.: **Overweight concerns and body dissatisfaction among third-grade children: the impacts of ethnicity and socioeconomic status.** *J Pediatrics* 2001, **138**(2):181-187.
39. Rogers L, Resnick MD, Mitchell JE, et al.: **The relationship between socioeconomic status and eating-disordered behaviors in a community sample of adolescent girls.** *Int J Eat Disord* 1997, **22**:15-23.
40. Farrales L, Chapman GE: **Filipino women living in Canada: constructing meaning of body, food and health.** *Health Care Women Int* 1999, **20**:179-194.
41. Pumariega AJ: **Acculturation and eating attitudes in adolescent girls: a comparative and correlational study.** *J Am Acad Child Psychiatry* 1986, **25**:276-279.
42. Chamorro R, Flores-Ortiz Y: **Acculturation and disordered eating patterns among Mexican American women.** *Int J Eat Disord* 2000, **28**:125-129.
43. Cairney J, Ostbye T: **Time since immigration and excess body weight.** *Can J Public Health* 1999, **90**:120.
44. Van den Broucke S, Vandereycken W: **Risk factors for the development of eating disorders in adolescent exchange students: an exploratory survey.** *J Adolesc* 1986, **9**:145-150.
45. Statistics Canada: *Women in Canada, 2000: a gender-based statistical report.* Ottawa: Minister of Industry 2000.

Publish with **BioMed Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- yours — you keep the copyright

Submit your manuscript here:
http://www.biomedcentral.com/info/publishing_adv.asp

